

## Subject Index

- Actinolite** 270  
**aegirine** 327  
**albite** 145, 270, 395  
 -, Al/Si interdiffusion 311ff.  
**alkali basalt** 133f., 191ff.  
**alkali feldspar** 35  
**alkaline granite, petrogenesis** 415f.  
**alkali olivine basalt** 353  
 -, contact metamorphism 166ff.  
 Al/Si disorder, albite, influence of pressure 311f.  
**amphibole** 84f., 271, 304, 345  
 -, metabasite 238f.  
 -, upper mantle 133f.  
 -, xenoliths 523f.  
**amphibole isograd, Skye contact metamorphism** 168  
**amphibolite** 85, 235, 271  
**analcime** 422f.  
**anatase, enthalpy of formation** 203  
**anchimetamorphism** 272  
**andalusite** 488  
**ankerite** 395  
**andesite** 72f., 156, 464  
**andradite** 173  
**anorthite** 332  
**anorthoclase** 134  
**anorthosite** 32f., 280  
**anthophyllite** 182  
**antigorite** 57f., 270  
**apatite** 72, 126, 134, 304, 425  
 -, Hawaii lavas 110, 120  
**arfvedsonite** 523  
**ariegite** 57  
**Ar loss, low temperatures** 393f.  
**assimilation, Paricutin** 4f.  
**A-type granite** 407ff.  
**augen gneiss** 147  
**augite** 168f., 465  
  
**Barometry, ultramafic rocks** 499ff.  
**basalt** 158f., 422f.  
 -, Afar 463f.  
 -, contact metamorphism 166ff.  
 -, O-H-S isotopic data 350ff.  
**basaltic andesite** 158f.  
**biotite** 145, 172, 271, 303, 331, 425  
 -, F content 125  
**blueschist** 236, 270f.  
  
**Calcite** 60  
 -, metamorphic, O-C isotopic data 258f.  
**celadonite** 396  
**chalcopyrite** 173  
 -, granulite 379  
**chemical analysis**  
 -, actinolite, Skye 171  
 -, amphibole, Ahaggar xenoliths 136  
 -, eclogites 88  
 -, metabasites 237  
 -, Pondor Pluton 126  
 -, ultramafic lavas 304  
 -, andalusite, O'Briens 485  
 -, andradite, Skye 172  
 -, anorthosite, Newfoundld. 282, 288f.  
 -, anthophyllite, Falun 186  
 -, apatite, Ponder Pluton 126  
 -, -, Roccamonfina volcanics 425  
 -, -, ultramafic layers 303  
 -, augite, Skye 170  
 -, basalt, Alligator Lake 194  
 -, biotite, Caledonian nappes 414  
 -, -, Ischia volcanics 331  
 -, -, Pondor Pluton 125  
 -, -, Roccamonfina volcanics 425  
 -, -, Skye 171  
 -, -, ultramafic layers 303  
 -, calcite, serpentinite 61  
 -, chlorite, Klamath serpentinite 60  
 -, -, O'Briens 483  
 -, -, Skye 171  
 -, chromite, Klamath serpentinite 61  
 -, clinopyroxene, eclogite 87  
 -, -, Ischia volcanics 331  
 -, -, metabasite 236  
 -, -, Roccamonfina 427  
 -, -, ultramafic layers 303  
 -, clinopyroxene megacrysts, alkali basalt 193  
 -, cordierite, Ellam. 24  
 -, -, granulite 221  
 -, corundum, granulite 378  
 -, -, O'Briens 483  
 -, diaspore, O'Briens 485  
 -, diopside, MARID xenoliths 525  
 -, dolomite, serpentinite 61  
 -, edenite, Skye 171  
 -, epidote, Skye 172  
 -, feldspars, Ischia volcanics 331  
 -, Fe-Ti oxides, Afar tuff 472  
 -, gabbros, Newfoundld. 281ff.  
 -, garnet, Caledonian nappes 514  
 -, -, eclogites 87  
 -, -, granulites 220, 378  
 -, -, metabasite 235  
 -, glass, basaltic, Afar 463  
 -, -, Roccamonfina 427  
 -, gneiss, Archean 442f.  
 -, -, Roffna 148  
 -, granite types 409, 412  
 -, gyrolite, Skye 172  
 -, hercynite, Ellam. 24  
 -, hoegbomite, Ellam. 24  
 -, ilmenite, inclusions in diamond 248  
 -, -, leucogabbro 292  
 -, -, MARID xenoliths 525  
 -, -, Skye 171  
 -, -, ultramafic layers 306  
 -, Kornerupine, Ellam. 24  
 -, K-richterite, MARID xenoliths 525  
 -, lavas, Paricutin 6  
 -, leucogabbros, Newfoundld. 281f., 286  
 -, magnesite, serpentinite 61  
 -, magnetite 61  
 -, -, granulites 221  
 -, -, Skye 170  
 -, -, ultramafic layers 306  
 -, mesolite, Skye 172  
 -, metabasalts, Skye 174  
 -, mica, eclogites 88  
 -, -, O'Briens 484  
 -, -, phyllites 397  
 -, monzo-anorthosite 34  
 -, muscovite, Caledonian nappes 414  
 -, -, Pondor Pluton 126  
 -, -, nigerite, Falun 184  
 -, olivine, Ischia, volc. 331  
 -, -, megacrysts in alk. basalts 193  
 -, -, Roccamonfina 427  
 -, orthopyroxene, eclogites 87  
 -, -, granulites 221  
 -, -, megacrysts in alk. basalt 193  
 -, -, Skye 170  
 -, -, ultramafic layers 303  
 -, phlogopite, MARID xenoliths 525  
 -, plagioclase, Caledonian nappes 515  
 -, -, granulites 379  
 -, -, Roccamonfina volc. 425  
 -, -, Skye 170  
 -, pyroxene, Afar tuff 471  
 -, rhyolite, Deccan 45  
 -, rutile, MARID xenoliths 525  
 -, saponite, Skye 172  
 -, sapphirine, granulites 221, 378  
 -, serpentine, Klamath serpentinites 58  
 -, sillimanite, Ellam. 24  
 -, -, granulites 380  
 -, spinel, granulites 221  
 -, -, leucogabbros 292  
 -, sulphides, granulite 379  
 -, talc, Klamath serpentinite 60  
 -, thomsonite, Skye 172  
 -, titanomagnetite, Ahaggar xenoliths 138  
 -, -, Roccamonfina 426  
 -, trachyte, Deccan 45  
 -, tremolite, Klamath serpentinite 60  
 -, ultramafic layers 302  
 -, volcanics, Hawaii 102f.  
 -, -, Ischia 325  
 -, -, Roccamonfina 428  
 -, xenoliths, Ahaggar nephelinites 135  
 -, -, Alligator Lake basalts 197  
 -, -, kimberlites 526  
 -, -, Paricutin lavas 8  
 chlorite 21f., 59, 172, 270, 395, 481f.  
 chlorite-smectite intergrowths 173  
 chloritoid 270  
 chloromelanite 270  
 chromite 60  
 chrysotile 57f.  
 cinder cone, Alligator Lake volc. 192  
 C isotopic data, Pyrenees metamorphic carbonates 262f.  
 Cl, biotite 126  
 clinopyroxene 35, 57, 72, 119f., 136, 193, 237f., 280, 303, 331, 357, 426, 499  
 -, eclogite 86f.  
 -, synthesis 212  
 contact metamorphism, Skye basalts 166ff.  
 cordierite 21f., 182, 222  
 corundum 377, 48ff.  
 Cr-muscovite 481f.  
 cumulates, Skaergaard 452f.  
 -, ultramafics 279f.  
  
**Dacite** 72, 158f., 454, 464  
 deformation, phyllites 395  
 desilification, hydrothermal 496  
 diamond, origin of ilmenite inclusions 247f.  
 diaspore 488

- differentiation, A-type granites 416f.  
 -, Paricutin 18f.  
 -, Skaergaard 451ff.  
 differentiation index, Ischia volc. 325f.  
 diffusion, feldspars,  $H_2$  influence 319f.  
 diopside 270, 332, 432, 523f.  
 disorder, albite, pressure influence 311f.  
 dolomite 60  
 dumortierite 22  
 dunite 57
- Eclogite** 82ff., 270f.  
 -, coronitic 233f.  
 -, granoblastic 234f.  
 edenite 172  
 epidote 173, 270  
 Eu anomaly, Rofna gneiss 150f.
- F biotite** 125  
 fluids, crustal pressure, thermodynamics 370f.  
 -, metamorphic 123f.  
 -, -, heat transport 384ff.  
 forsterite 270  
 fractional crystallization, Hawi magmas 119f.  
 fractionation, ferrobasalts 454f.
- Gabbro** 33, 272f.  
 -, ophiolites 279f.  
 -, petrogenesis 294f.  
 galena 183  
 garnet 220, 270, 377, 499  
 -, eclogites 86f.  
 -, Hawaiian lavas 111, 121  
 garnet lherzolite, geobarothermometry 499ff.  
 garnet peridotite 82f.  
 garnet pyroxenite 82f.  
 garnet websterite 85  
 garnet zonation, Caledonian nappes 518f.  
 geochronology, Archean gneisses 437ff.  
 -, phyllites 398f.  
 geothermobarometry, Caledonian nappes 516f.  
 geothermometry, Afar volc. 473f.  
 -, metabasites 240f.  
 -, Skye metabasalts 176f.  
 glass, basaltic and rhyolitic, Afar 464f.  
 -, Eifel volcanics, stable isotopic data 344f.  
 -, Roccamonfina volc. 427  
 glaucophane 239, 270  
 glaucophanite 275  
 glimmerite 523  
 gneiss, Archean, geochronology 437ff.  
 -, eclogite occurrence 83f.  
 -, Pyrenees, O isotopic data 256f.  
 -, REE mobility 145ff.  
 granite, classification 407f.  
 granitic porphyry 147  
 granulite 217ff., 257, 376f.  
 gyrolite 173
- Halogen fugacities, metamorphic fluids** 128f.  
 harzburgite 57, 133, 279  
 heat transport, metamorphism 384ff.  
 hematite, enthalpy of formation 203
- Hercynian crust, Pyrenees 264  
 hercynite 21f.  
 H isotopic data, basalts and xenoliths 350ff.  
 -, Eifel volcanics 346f.  
 hoegbomite 182  
 -, Ti-poor 21ff.  
 hornblende 27f.  
 hydrothermal alteration, Skye basalts 175f.  
 hydrothermal fluids, metamorphism 255f.  
 hypersthene 168, 222
- Icelandite** 454  
 ignimbrite 334  
 ilmenite 72, 134, 395, 465  
 -, intergrowths 301f.  
 -, origin in kimberlites 245ff.  
 -, xenoliths 523f.  
 ilmenite stability, thermodynamics 202f.  
 intergrowths, ultramafic layers 301ff.  
 intraplate volcanism 133f.  
 island arc, Kurile 155ff.
- Kaersutite** 135  
 kalsilite, high-pressure 1f.  
 K-Ar dating, phyllitic micas 396f.  
 K-feldspar 47  
 kimberlite 376f.  
 -, ilmenite origin 245f.  
 komatiite 492  
 kornerupine 21f.
- Lamproite** 530  
 lamprophyre 207f.  
 latite 332, 422  
 lavas, Ahaggar 134f.  
 -, Alligator Lake 192f.  
 -, Hawaii 100ff., 120  
 -, Ischia 322f.  
 -, Kurile Isl. 156ff.  
 -, Paricutin 7f.  
 lawsonite 270  
 leucite 425  
 -, high-pressure 1f.  
 leucite basalt 422f.  
 leucogabbro 275f.  
 lherzolite 57, 133f.  
 -, ilmenite origin 247f.  
 limburgite 353  
 liquid composition, Skaergaard intrusion 456  
 lizardite 57f.
- Magma chamber, Skaergaard** 458f.  
 -, zoned, crystallization model 297  
 magmas, ultrapotassic, xenoliths 528f.  
 magnesite 60  
 magnetite 60, 465  
 -, intergrowths 301f.  
 magnetite-ilmenite thermometer, metabasalts 177f.  
 mantle xenoliths, stable isotope data 350ff.  
 MARID, ilmenite origin 251  
 -, kimberlites 523ff.  
 mass balance, Paricutin lavas 13f.  
 megacrysts, amphibole in xenoliths 133f.  
 mesolite 173
- metabauxite 494  
 meta-exhalite, corundum-bearing rocks 494  
 metamorphism, Betic Cordillera 231ff.  
 -, eclogites 94f.  
 -, heat transport 384f.  
 -, Ligurian Alps 269ff.  
 -, low-grade, K-Ar dating 393ff.  
 -, Pyrenees 255ff.  
 -, Skye 166ff.  
 metasomatism, A-type granites 416  
 -, mantle 365  
 -, peridotite 55ff.  
 -, upper mantle 133f.  
 metasomatism, ilmenite origin 247  
 Mg-ilmenite 136  
 mica, K-Ar dating 393ff.  
 -, xenoliths 523f.  
 mica-lamprophyre, origin 207ff.  
 microcline 145  
 minette, origin 207f.  
 montmorillonite, low-grade metamorphism 394  
 monzo-anorthosite 32ff.  
 monzonite 33  
 muscovite 126, 395f.
- Naxos dome, heat transport** 390f.  
 Nd isotopes, Kohala volc. 116  
 -, rhyolites 49f.  
 nepheline 134, 327  
 nephelinite 134, 353  
 Ni-Fe exchange, olivine/sulfide 336f.  
 nigerite, lamellar 182ff.  
 norite 302
- Obsidian** 334  
 O fugacity barometry, Skye basalts 178  
 O isotopes, Calabozos volc. 74f.  
 -, Paricutin lavas 11f.  
 O isotopic data, basalts and xenoliths 350  
 -, metamorphic carbonates 259f.  
 olivine 57, 89, 101f., 134, 168f., 193, 283, 332, 357, 426, 499  
 -, experim. Fe-Ni exchange 336f.  
 -, high-temp. stability 226f.  
 olivine gabbro 280  
 ophiolite 278ff.  
 order-disorder equilibrium, albite, pressure influence 312f.  
 -, -, water infl. 317f.  
 orthopyroxene 57, 72, 135, 193f., 280, 357, 499  
 -, eclogite 89f.  
 -, intergrowths 301f.  
 orthopyroxene-olivine isograd, Skye contact metamorphism 168  
 osunilite 222f.
- Paragonite** 270  
 pargasite 137  
 pargasite lherzolite 133  
 partial melting, A-type granites 417  
 Pb isotopes, rhyolites 49f.  
 peridotite 55ff., 362  
 phase transitions, high-P in K-aluminosilicates 1f.  
 phengite 145, 270  
 phenocrysts, Afar volc. 468f.  
 phlogopite 134, 212, 345, 357, 523f.

- phonolite 344f.  
 phyllite, K—Ar dating 394f.  
 picroilmenite 212  
 plagioclase 47, 57, 72, 101f., 134, 168, 218, 280, 304, 377, 465  
 —, cumulates 32f.  
 —, pumice 424f.  
 prehnite 270, 334, 423f.  
 pumpellyite 270  
 pyrite 183  
 —, granulite 379  
 pyroclastics 423f.  
 —, Ischia 322f.  
 pyrope 270  
 pyroxene thermometry, Skye metabasalts 176f.  
 pyrrhotite 173, 183
- Quartz** 35, 47, 173, 183, 218f., 377, 395  
 quartz phyllite, K—Ar dating 394f.  
 quartz tholeiite 353
- Redlich-Kwong models, P—V—T**  
 relations of crustal fluids 371f.  
**REE, Archean gneisses** 446f.  
 —, mobility in gneiss 145f.  
 —, phengite and zircon, Roffna gneiss 148  
 —, Tahalra lavas 141  
 rhyodacite 72, 464  
 rhyolite 454f., 464f.  
 —, Deccan, petrogenesis 44ff.  
 riebeckite 239  
 ring complexes, Niger 33f.  
 rutile 21f., 380  
 —, xenoliths 523f.
- Sanidine** 323f., 344, 425, 433  
 —, high-pressure 1f.  
 saponite 172
- sapphirine 221f.  
 —, granulites 376f.  
 sapphirine granulites 217f.  
 serpentine 57f.  
 serpentinization, peridotite 55f.  
 siderite, enthalpy of formation 203  
 sillimanite 21f., 377  
 S isotopic data, basalts and xenoliths 350ff.  
 smectite 172  
 —, basalts 355f.  
 smectite isograd, Skye contact metamorphism 168  
 Sm—Nd geochronology, Archean gneisses 441  
 sodalite 327  
 sphalerite 183  
 sphene 173  
 spinel 57, 182, 222, 284, 357, 380  
 —, Sn—Ti solubility 187  
 spinel harzburgite 353  
 spinel lherzolite 353  
 Sr isotopes, Calabozos volc. 74f.  
 —, Hawaiian basalts 108  
 —, Kohala volc. 116  
 —, Kurile lavas 157f.  
 —, rhyolites 49f.  
 —, Paricutin lavas 13f.  
 subduction zones, serpentinization 67  
 symplectite 85
- Talc** 58f.  
 tectonism, Pyrenees 255f.  
 thermometry, ultramafic rocks 505f.  
 tholeiite, Afar 465  
 —, Hawaii 101f.  
 thomsonite 169, 173  
 Ti-salite 134  
 titanomagnetite 72, 134, 426  
 —, stability, thermodynamics 202f.
- tourmaline 22  
 trace elements, Afar tuff glass 465  
 —, Ahaggar lavas and xenoliths 135  
 —, Archean gneisses 442f.  
 —, corundum rocks 486  
 —, Ischia volc. 328  
 —, Kohala volc. 115  
 —, Paricutin lavas 6  
 —, rhyolites 45  
 —, Roccamonfina volc. 429  
 trachy basalt 422f.  
 trachyte 332  
 —, Deccan, petrogenesis 44ff.  
 tremolite 59  
 troctolite 280  
 tuff, Afar 464f.
- Volcanism, Ahaggar** 133f.  
 —, Andes 71ff.  
 —, Hawaii 100ff.  
 —, Ischia 322ff.  
 —, Paricutin 4ff.  
 —, Roccamonfina 420ff.
- Waier, basalts** 358f.  
 websterite 57  
 wehrliite 57
- Xenoliths, amphibole-rich** 133ff.  
 —, granulites 376f.  
 —, kimberlites 523ff.  
 —, Paricutin 9f.
- Zircon** 465  
 —, phengite schist 151  
 zoisite 270  
 zoning, amphiboles 239  
 —, garnets in eclogites 92  
 —, orthopyroxenes in eclogites 90  
 —, plagioclase 291

L

7

1

# Contributions to **Mineralogy and Petrology**

---

**Volume 95 1987**

*Executive Editors:* **I.S.E. Carmichael J. Hoefs**

*Editorial Board*

R. Binns North Ryde, Australia  
H.P. Eugster Baltimore, Maryland  
J. Ferry Baltimore, Maryland  
T. Grove Cambridge, Massachusetts  
I. Parsons Aberdeen, Scotland  
Z.E. Peterman Lakewood, Colorado  
W. Schreyer Bochum-Querenburg, F. R. G.  
J. Touret Amsterdam, The Netherlands  
V. Trommsdorff Zürich, Switzerland  
K.H. Wedepohl Göttingen, F. R. G.



**Springer International**

## Contributions to Mineralogy and Petrology

Founded in 1947 by O.H. Erdmannsdörffer. Volume 1 (1949) edited by O.H. Erdmannsdörffer as "Heidelberger Beiträge zur Mineralogie und Petrographie". Continued from Volume 6 (1957) as "Beiträge zur Mineralogie und Petrographie", edited by C.W. Correns. From Volume 12 (1966) to Volume 40 (1973) published as "Contributions to Mineralogy and Petrology/Beiträge zur Mineralogie und Petrologie", edited by C.W. Correns. Beginning with Volume 41 (1973) "Contributions to Mineralogy and Petrology". As of Volume 43 (1974) edited by C.W. Correns and I.S.E. Carmichael. As of Volume 74 (1980) edited by I.S.E. Carmichael and J. Hoefs.

---

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

*Special regulations for photocopies in the USA:* Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US \$0.20 per page, or a minimum of US \$1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0010-7999, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Printers: Universitätsdruckerei H. Stürtz AG Würzburg

© Springer-Verlag GmbH & Co. KG Berlin Heidelberg 1987  
Printed in Germany



# Contents

- Abraham, K., s. Grew, E.S., et al. 21-31
- Armstrong, R.L., s. McBirney, A.R., et al. 4-20
- Bailey, J.C., Larson, O., Frolova, T.I.: Strontium isotope variations in Lower Tertiary-Quaternary volcanic rocks from the Kurile island arc 155-165
- Barnett, R.L., s. Kerrich, R., et al. 481-498
- Bickle, M.J., McKenzie, D.: The transport of heat and matter by fluids during metamorphism 384-392
- Blair, B.B., s. Kerrich, R., et al. 481-498
- Briqueu, L., s. Dautria, J.M., et al. 133-144
- Brown, W.L., s. Moreau, C., et al. 32-43
- Cabanes, N., s. Dautria, J.M., et al. 133-144
- Carswell, D.A., Gibb, F.G.F.: Evaluation of mineral thermometers and barometers applicable to garnet ilmenite assemblages 499-511
- Casey, J.F., s. Komor, S.C., et al. 278-300
- Chappell, B.W., s. Whalen, J.B., et al. 407-419
- Chiesa, S., s. Poli, S., et al. 322-335
- Claesson, L., s. Öhlander, B., et al. 437-450
- Crowley, P.D., Spear, F.S.: The P-T evolution of the Middle Köli Nappe Complex, Scandinavian Caledonides (68° N) and its tectonic implications 512-522
- Currie, K.L., s. Whalen, J.B., et al. 407-419
- Dautria, J.M., Liotard, J.M., Cabanes, N., Girod, M., Briqueu, L.: Amphibole-rich xenoliths and host alkali basalts: petrogenetic constraints and implications on the recent evolution of the upper mantle beneath Ahaggar (Central Sahara, Southern Algeria) 133-144
- Daval, D.: Petrogenesis of orthopyroxene-magnetite-ilmenite intergrowths from an ultramafic layer 301-310
- Dawson, J.B., Smith, J.V.: Reduced sapphirine granulite xenoliths from the Lace Kimberlite, South Africa; implications for the deep structure of the Kaapvaal Craton 376-383
- Eiché, G.E., Francis, D.M., Ludden, J.N.: Primary alkaline magmas associated with the Quaternary Alligator Lake volcanic complex, Yukon Territory, Canada 191-201
- Elthon, D., s. Komor, S.C., et al. 278-300
- Esperança, S., Holloway, J.R.: On the origin of some microlamprophyres: experimental evidence from a mafic minette 207-216
- Fei, Y., s. Saxena, S.K. 370-375
- Feigenson, M.D., s. Hofmann, A.W., et al. 114-122
- Fernandez-Soler, J.M., s. Gomez-Pugnaire, M.T. 231-244
- Ferry, J.M., Mutti, L.J., Zuccala, G.J.: Contact metamorphism/hydrothermal alteration of Tertiary basalts from the Isle of Skye, northwest Scotland 166-181
- Fleet, M.E., MacRae, N.D.: Partition of Ni between olivine and sulfide: the effect of temperature,  $f_{O_2}$  and  $f_{S_2}$  336-342
- Francis, D.M., s. Eiché, G.E., et al. 191-201
- Frey, F.A., s. Lanphere, M.A. 100-113
- Frolova, T.I., s. Bailey, J.C., et al. 155-165
- Fyfe, W.S., s. Kerrich, R., et al. 481-498
- Giannetti, B., s. Luhr, J.F. 420-436
- Gibb, F.G.F., s. Carswell, D.A. 499-511
- Gillot, P.-Y., s. Poli, S., et al. 322-335
- Girod, M., s. Dautria, J.M., et al. 133-144
- Goldsmith, J.R.: Al/Si interdiffusion in albite: effect of pressure and the role of hydrogen 311-321
- Gomez-Pugnaire, M.T., Fernandez-Soler, J.M.: High-pressure metamorphism in metabasites from the Betic Cordilleras (S.E. Spain) and its evolution during the Alpine orogeny 231-244
- Gregnanin, A., s. Poli, S., et al. 322-335
- Grew, E.S., Abraham, K., Medenbach, O.: Ti-poor hoegbomite in kornelupine-cordierite-sillimanite rocks from Ellamankovilpatti, Tamil Nadu, India 21-31
- Grunder, A.L.: Low  $\delta^{18}O$  silicic volcanic rocks at the Calabozos Caldera Complex, Southern Andes. Evidence for upper-crustal contamination 71-81
- Grünenfelder, M., s. Vocke, R.D. Jr., et al. 145-154
- Guichard, F., s. Poli, S., et al. 322-335
- Hamilton, P.J., s. Öhlander, B., et al. 437-450
- Hammerschmidt, K., Stöckhert, B.: A K-Ar and  $^{40}Ar/^{39}Ar$  study on white micas from the Brixen Quartzphyllite, Southern Alps 393-406
- Hanson, G.N., s. Vocke, R.D. Jr., et al. 145-154
- Harmon, R.S., Hoefs, J., Wedepohl, K.H.: Stable isotope (O, H, S) relationships in Tertiary basalts and their mantle xenoliths from the Northern Hessian Depression, W.-Germany 350-369
- Harmon, R.S., s. Wörner, G., et al. 343-349
- Hart, W.K., s. Walter, R.C., et al. 462-480
- Hawkesworth, C.J., s. Lightfoot, P.C., et al. 44-54
- Hoefs, J., s. Harmon, R.S., et al. 350-369
- Hoefs, J., s. Wörner, G., et al. 343-349
- Hofmann, A.W., Feigenson, M.D., Raczek, I.: Kohala revisited 114-122
- Holloway, J.R., s. Esperança, S. 207-216
- Hunter, R.H., Sparks, R.S.J.: The differentiation of the Skaergaard Intrusion 451-461
- Jamtveit, B.: Metamorphic evolution of the Eiksunddal eclogite complex Western Norway, and some tectonic implications 82-99
- Kaminen, D.C.: A petrochemical study of calcic amphiboles from the East Bull Lake anorthosite-gabbro layered complex, District of Algoma, Ontario 254
- Karche, J.-P., s. Moreau, C., et al. 32-43
- Kerrich, R., Fyfe, W.S., Barnett, R.L., Blair, B.B., Willmore, L.M.: Corundum, Cr-muscovite rocks at O'Briens, Zimbabwe: the conjunction of hydrothermal desilicification and LIL-element enrichment - geochemical and isotopic evidence 481-498
- Kohlstedt, D.L., Mackwell, S.J.: High-temperature stability of San Carlos olivine 226-230
- Komor, S.C., Elthon, D., Casey, J.F.: Petrology of a leucogabbroic interval within basal layered gabbros at North Arm Mountain, Bay of Islands ophiolite 278-300
- Lanphere, M.A., Frey, F.A.: Geochemical evolution of Kohala Volcano, Hawaii 100-113
- Larson, O., s. Bailey, J.C., et al. 155-165
- Lightfoot, P.C., Hawkesworth, C.J., Sethna, S.F.: Petrogenesis of rhyolites and trachytes from the Deccan Trap: Sr, Nd and Pb isotope and trace element evidence 44-54
- Lin-gun Liu: High-pressure phase transitions of potassium aluminosilicates with an emphasis on leucite 1-3
- Liotard, J.M., s. Dautria, J.M., et al. 133-144
- Ludden, J.N., s. Eiché, G.E., et al. 191-201
- Luhr, J.F., Giannetti, B.: The Brown Leucitic Tuff of Roccamonfina Volcano (Roman Region, Italy) 420-436
- Mackwell, S.J., s. Kohlstedt, D.L. 226-230
- MacRae, N.D., s. Fleet, M.E. 336-342
- McBirney, A.R., Taylor, H.P., Armstrong, R.L.: Paricutin re-examined: A classic example of crustal assimilation in calc-alkaline magma 4-20
- McKenzie, D., s. Bickle, M.J. 384-392
- Medenbach, O., s. Grew, E.S., et al. 21-31
- Messiga, B.: Alpine metamorphic evolution of Ligurian Alps (North-West Italy): chemography and petrological constraints inferred from metamorphic climax assemblages 269-277
- Moore, A.E.: A model for the origin of ilmenite in kimberlite and diamond: implications for the genesis of the discrete nodule (megacryst) suite 245-253
- Moreau, C., Brown, W.L., Karche, J.-P.: Monzo-anorthosite

- from the Taguei ring-complex, Air, Niger: a hybrid rock with cumulus plagioclase and an infiltrated granitic intercumulus liquid? 32-43
- Mutti, L.J., s. Ferry, J.M., et al. 166-181
- Neall, F.B., s. Sandiford, M., et al. 217-225
- Öhlander, B., Skögl, T., Hamilton, P.J., Claesson, L.Å.: The western border of the Archaean province of the Baltic Shield: evidence from northern Sweden 437-450
- Peacock, S.M.: Serpentinization and infiltration metasomatism in the Trinity peridotite, Klamath province, northern California: implications for subduction zones 55-70
- Poll, S., Chiesa, S., Gillot, P.-Y., Gregnanin, A., Guichard, F.: Chemistry versus time in the volcanic complex of Ischia (Gulf of Naples, Italy): evidence of successive magmatic cycles 322-335
- Powell, R., s. Sandiford, M., et al. 217-225
- Raczek, I., s. Hofmann, A.W., et al. 114-122
- Sandiford, M., Neall, F.B., Powell, R.: Metamorphic evolution of aluminous granulites from Labwor Hills, Uganda 217-225
- Saxena, S.K., Fei, Y.: Fluids at crustal pressures and temperatures. I. Pure species 370-375
- Schäfer, K., s. Schumacher, J.C., et al. 182-190
- Schumacher, J.C., Schäfer, K., Seifert, F.: Lamellar nigerite in Zn-rich spinel from the Falun deposit, Sweden 182-190
- Seifert, F., s. Schumacher, J.C., et al. 182-190
- Sethna, S.F., s. Lightfoot, P.C., et al. 44-54
- Sisson, V.B.: Halogen chemistry as an indicator of metamorphic fluid interaction with the Ponder pluton, Coast Plutonic Complex, British Columbia, Canada 123-131
- Skögl, T., s. Öhlander, B., et al. 437-450
- Smith, J.V., s. Dawson, J.B. 376-383
- Sparks, R.S.J., s. Hunter, R.H. 451-461
- Spear, F.S., s. Crowley, P.D. 512-522
- Stöckhert, B., s. Hammerschmidt, K. 393-406
- Taylor, H.P. Jr., s. Wickham, S.M. 255-268
- Taylor, H.P., s. McBirney, A.R., et al. 4-20
- Vocke, R.D. Jr., Hanson, G.N., Grünenfelder, M.: Rare earth element mobility in the Rofna Gneiss, Switzerland 145-154
- Walter, R.C., Hart, W.K., Westgate, J.A.: Petrogenesis of a basalt-rhyolite tephra from the west-central Afar, Ethiopia 462-480
- Waters, F.G.: A suggested origin of MARID xenoliths in kimberlites by high pressure crystallization of an ultrapotassic rock such as lamproite 523-533
- Wedepohl, K.H., s. Harmon, R.S., et al. 350-369
- Westgate, J.A., s. Walter, R.C., et al. 462-480
- Whalen, J.B., Currie, K.L., Chappell, B.W.: A-type granites: geochemical characteristics, discrimination and petrogenesis 407-419
- Wickham, S.M., Taylor, H.P. Jr.: Stable isotope constraints on the origin and depth of penetration of hydrothermal fluids associated with Hercynian regional metamorphism and crustal anatexis in the Pyrenees 255-268
- Willmore, L.M., s. Kerrich, R., et al. 481-498
- Wörner, G., Harmon, R.S., Hoefs, J.: Stable isotope relations in an open magma system, Laacher See, Eifel (FRG) 343-349
- Yang, H.-Y.: Stability of ilmenite and titanomagnetite in the presence of carbon dioxide - a thermodynamic evaluation 202-206
- Zuccala, G.J., s. Ferry, J.M., et al. 166-181

Subject-Index V  
List of Locations VIII

*Indexed in Current Contents/  
Abstracted in Mineralogical Abstracts*



